

		Atlas Fug	a Elastyczna			
Creati	on date 23	rd November 2021				
	on date		Version	5.0		
	ON 1: Identification of th	e substance/mixture a	• •	-		
1.1.	Product identifier		Atlas Fuga Elasty	czna		
	Substance / mixture		mixture			
1.2.	Relevant identified uses	s of the substance or m	ixture and uses advise	d against		
	Mixture's intended use					
	Grouting mortar.					
	Mixture uses advised ag	jainst				
	The product should not be used in ways other then those referred in Section 1.					
	Main intended use					
	PC-CON-OTH	Other construction	products			
1.3.	Details of the supplier o	f the safety data sheet				
	Manufacturer					
	Name or trade name	2	ATLAS sp. z o.o.			
	Address		ul. Jana Kilińskieg	go 2, Łódź, 91-421		
			Poland			
	VAT Reg No		PL9471936467			
	Phone		+48 42 631 89 4			
	E-mail		msds@atlas.com	•		
	Web address		www.atlas.com.p	l .		
	Competent person resp	onsible for the safety d				
	Name		ATLAS sp. z o.o.			
	E-mail		msds@atlas.com	.pi		
1.4.	Emergency telephone n	umber				
	112 - emergency number +48 800 168 083 - ATLAS information is answered by		n from Monday to Friday	between 8:00 am - 4:00 pm, other		

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.


Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335 Carc. 2, H351 (inhalation) STOT RE 1, H372 (lungs (inhalation)) (inhalation) Aquatic Chronic 3, H412

Full text of all classifications and hazard statements is given in the section 16.

#### Most serious adverse effects on human health and the environment

Causes skin irritation. Causes serious eye damage. May cause respiratory irritation. Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled. May cause an allergic skin reaction. Suspected of causing cancer if inhaled. Harmful to aquatic life with long lasting effects.

#### 2.2. Label elements





according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

	Atlas Fu	ga Elastyczna	
Creation date	23rd November 2021		
Revision date		Version	5.0
Hazardous su	bstances		
Cement, portla quartz flour titanium dioxid 2-octylisothiazo			
Hazard stater			
H315	Causes skin irritati	on	
H317	May cause an aller		
H318	Causes serious eye	•	
H335	May cause respirat	-	
H351	, , ,	ing cancer if inhaled.	
H372		-	ugh prolonged or repeated exposure if
H412	Harmful to aquation	life with long lasting effect	cts.
Precautionary	y statements		
P102	Keep out of reach	of children.	
P280	Wear protective gl	oves/protective clothing/e	ye protection/face protection.
P302+P352	IF ON SKIN: Wash	with plenty of water and	soap.
P305+P351+P3		cautiously with water for s y to do. Continue rinsing.	several minutes. Remove contact lenses,
P310	Immediately call a	doctor.	
P333+P313	If skin irritation or	rash occurs: Get medical	advice/attention.
P405	Store locked up.		
P501	•	s/container to by handing r by returning to the supp	over to the person authorized to lier.
Supplemental	l information		
EUH212	Warning! Hazardo dust.	us respirable dust may be	formed when used. Do not breathe

#### Requirements for child-resistant fastenings and tactile warning of danger

Container must carry a tactile warning of danger. Container must be fitted with child-resistant fastening.

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 65997-15-1 EC: 266-043-4 Registration number: 02-2119682167-31- xxxx	Cement, portland, chemicals	25-40	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	4
CAS: 14808-60-7 EC: 238-878-4	quartz flour	8-15	STOT RE 1, H372 (lungs (inhalation)) (inhalation)	
Index: 022-006-00-2 CAS: 13463-67-7 EC: 236-675-5	titanium dioxide	1-5	Carc. 2, H351 (inhalation)	1, 2, 3, 4



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

Creation date	23rd November 2021			
Revision date		ersion	5.0	
Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 544-17-2 EC: 208-863-7 Registration number: 01-2119486476-24- xxxx	calcium diformate	0,1-1	Eye Dam. 1, H318	
CAS: 68475-76-3 EC: 270-659-9	Flue dust, portland cement	0,1-0,3	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	
Index: 607-750-00-3 CAS: 77-92-9 EC: 201-069-1	citric acid	0,01-0,1	Eye Irrit. 2, H319 STOT SE 3, H335	
Index: 613-112-00-5 CAS: 26530-20-1 EC: 247-761-7	2-octylisothiazol-3 (2H) -one (CAS: 26530- 20-1)	0,01-0,05	Acute Tox. 3, H301+H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Eye Dam. 1, H318 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) Specific concentration limit: Skin Sens. 1A, H317: $C \ge 0,0015$ %	

#### Notes

- 1 Note V: If the substance is to be placed on the market as fibres (with diameter <  $3 \mu m$ , length >  $5 \mu m$  and aspect ratio  $\geq 3:1$ ) or particles of the substance fulfilling the WHO fibre criteria or as particles with modified surface chemistry, their hazardous properties must be evaluated in accordance with Title II of this Regulation, to assess whether a higher category (Carc. 1B or 1A) and/or additional routes of exposure (oral or dermal) should be applied.
- 2 Note W: It has been observed that the carcinogenic hazard of this substance arises when respirable dust is inhaled in quantities leading to significant impairment of particle clearance mechanisms in the lung.

This note aims to describe the particular toxicity of the substance; it does not constitute a criterion for classification according to this Regulation.

- 3 Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq$  10 µm.
- 4 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.





according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

Creation date Revision date

Version

5.0

### **SECTION 4: First aid measures**

#### 4.1. **Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

#### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

#### If on skin

Beware of the contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Do not rub your eyes - it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment. Everyone must be referred for treatment even if affected only a little.

#### If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

#### Most important symptoms and effects, both acute and delayed

23rd November 2021

#### If inhaled

4.2.

Inhaling dust can cause corrosion of the breathing system. Cough, headache. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

### If in eyes

Causes serious eye damage.

# If swallowed

Corrosion of the digestion system can occur.

Indication of any immediate medical attention and special treatment needed 4.3.

Symptomatic treatment.

#### **SECTION 5: Firefighting measures**

#### Extinguishing media 5.1.

#### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

## Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### **SECTION 6: Accidental release measures**

#### Personal precautions, protective equipment and emergency procedures 6.1.

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

#### 6.2. **Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

		-		
Creation date	23rd November 2021			
Revision date		V	ersion	5.0

# 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

#### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Obtain special instructions before use. Do not eat, drink or smoke when using this product. Wash hands and exposed parts of the body thoroughly after handling. Do not handle until all safety precautions have been read and understood. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in closed, original and labeled packages in in dry, cool and well-ventilated rooms, preferably on pallets, do not expose directly to sunlight. Store away from incompatible materials, drinks and food. Protect against moisture - the product is irreversible hardening under the influence of moisture. The bags should be stacked in a manner for stability. Under the above conditions, none are known adverse interactions.

# 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom	EH40/2005 Wo	rkplace exposu	re limits (Fourth Edition 2020)
Substance name (component)	Туре	Value	Note
Cement, portland, chemicals (CAS: 65997-15-1)	WEL 8h	10 mg/m <sup>3</sup>	inhalable dust
	WEL 8h	4 mg/m <sup>3</sup>	respirable dust
titanium dioxide (CAS: 13463-67-7)	WEL 8h	10 mg/m <sup>3</sup>	total inhalable
	WEL 8h	4 mg/m <sup>3</sup>	respirable
diiron trioxide (fume) (CAS: 1309-37-1)	WEL 8h	5 mg/m <sup>3</sup>	As Fe
	WEL 15min	10 mg/m <sup>3</sup>	
diiron trioxide (CAS: 1309-37-1)	WEL 8h	10 mg/m <sup>3</sup>	total inhalable
	WEL 8h	4 mg/m <sup>3</sup>	respirable
copper fume (CAS: 7440-50-8)	WEL 8h	0,2 mg/m <sup>3</sup>	As Cu
Copper and compounds: dust and mists (CAS: 7440-50-8)	WEL 8h	1 mg/m <sup>3</sup>	As Cu
	WEL 15min	2 mg/m <sup>3</sup>	
chromium (CAS: 7440-47-3)	WEL 8h	0,5 mg/m <sup>3</sup>	



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

Creation date	23rd November 2021			
Revision date		ver	rsion	5.0

## 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### **Respiratory protection**

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

#### Thermal hazard

Data not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

#### **SECTION 9: Physical and chemical properties**

9.1.	Information on basic physical and chemical prope	
	Physical state	solid
	Colour	white, brown, black, red, violet, blue, orange, purple, pin
		grey, green, yellow
	Odour	data not available
	Melting point/freezing point	data not available
	Boiling point or initial boiling point and boiling range	data not available
	Flammability	data not available
	Lower and upper explosion limit	data not available
	Flash point	data not available
	Auto-ignition temperature	data not available
	Decomposition temperature	data not available
	рН	10-11 (undiluted)
	Cement, portland, chemicals (CAS: 65997-15-1)	11-13,5 (50% solution at 20 °C)
	Kinematic viscosity	data not available
	Solubility in water	data not available
	Partition coefficient n-octanol/water (log value)	data not available
	Vapour pressure	data not available
	Density and/or relative density	
	Density	1,3-1,6 g/cm³
	Cement, portland, chemicals (CAS: 65997-15-1)	2,75-3,20 g/cm <sup>3</sup> at 20 °C
	Relative vapour density	data not available
	Particle characteristics	data not available
	Form	
	data not available	
.2.	Other information	
	not available	

## SECTION 10: Stability and reactivity

## 10.1. Reactivity

not available

- 10.2. Chemical stability
- The product is stable under normal conditions.
- **10.3.** Possibility of hazardous reactions Unknown.

Page 6/10



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

Creation date	23rd November 2021
Revision date	

Version

5.0

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

#### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

#### 10.6. Hazardous decomposition products

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

#### Acute toxicity

Based on available data the classification criteria are not met.

2-octylisothiazol-3 (2H) -one (CAS: 26530-20-1)

Route of exposure	Parameter	Value	Time of exposure	Species	Sex
Inhalation (dust/mist)	ATE	0,27 mg/l			
Dermal	ATE	311 mg/kg bw			
Oral	ATE	125 mg/kg bw			

### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### Germ cell mutagenicity

Based on available data the classification criteria are not met.

#### Carcinogenicity

Suspected of causing cancer if inhaled.

#### **Reproductive toxicity**

Based on available data the classification criteria are not met.

#### Toxicity for specific target organ - single exposure

May cause respiratory irritation.

#### Toxicity for specific target organ - repeated exposure

Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled.

#### Aspiration hazard

Based on available data the classification criteria are not met.

## 11.2. Information on other hazards

not available



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

23rd November 2021 Creation date 5.0 Revision date Version **SECTION 12: Ecological information** 12.1. Toxicity Acute toxicity Harmful to aquatic life with long lasting effects. 12.2. Persistence and degradability not available 12.3. Bioaccumulative potential Data not available. 12.4. Mobility in soil Data not available. 12.5. **Results of PBT and vPvB assessment** Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended. 12.6. Endocrine disrupting properties not available

Other adverse effects 12.7.

Data not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### **SECTION 14: Transport information**

- 14.1. UN number or ID number
  - not subject to transport regulations
- 14.2. UN proper shipping name not relevant
- 14.3. Transport hazard class(es)
- not relevant 14.4. Packing group not relevant
- 14.5. Environmental hazards not relevant
- 14.6. Special precautions for user Reference in the Sections 4 to 8.
- 14.7. Maritime transport in bulk according to IMO instruments not relevant



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

Creation date Revision date 23rd November 2021

Version

5.0

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

#### 15.2. Chemical safety assessment

not available

#### **SECTION 16: Other information**

A list of standard risk phra	ses used in the safety data sheet
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer if inhaled.
H372	Causes damage to lungs (by inhalation) through prolonged or repeated exposure if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H301+H311	Toxic if swallowed or in contact with skin.
Guidelines for safe handlin	g used in the safety data sheet
P102	Keep out of reach of children.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a doctor.
P405	Store locked up.
P501	Dispose of contents/container to by handing over to the person authorized to dispose of waste or by returning to the supplier.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water and soap.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
A list of additional standar	d phrases used in the safety data sheet
EUH212	Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.
Other important informatio	on about human health protection
	nless specifically approved by the manufacturer/importer - used for purposes other than r is responsible for adherence to all related health protection regulations.
Key to abbreviations and a	cronyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Fuga Elastyczna

Creation date	23rd November 2021		
Revision date	2010 NOVEHIDER 2021	Version	5.0
EU	European Union	V CI 3IUII	5.0
		togorisation Sustan	
EuPCS	European Product Ca	<b>.</b> ,	
IATA IBC	International Air Trai	•	d Equipment of China Corriga
IDC	Dangerous Chemical	S	d Equipment of Ships Carrying
ICAO	International Civil Av	iation Organization	
IMDG	International Maritim	e Dangerous Goods	
INCI	International Nomen	clature of Cosmetic Ing	iredients
ISO	International Organiz	zation for Standardizati	on
IUPAC		of Pure and Applied Che	emistry
log Kow	Octanol-water partiti	on coefficient	
MARPOL	International Conver	tion for the Prevention	of Pollution from Ships
OEL	Occupational Exposu	re Limits	
PBT	Persistent, Bioaccum	ulative and Toxic	
ppm	Parts per million		
REACH	Registration, Evaluat	ion, Authorisation and	Restriction of Chemicals
RID	Agreement on the tra	ansport of dangerous g	oods by rail
UN	Four-figure identifica Model Regulations	tion number of the sub	stance or article taken from the UN
UVCB	Substances of unkno biological materials	wn or variable compos	ition, complex reaction products or
VOC	Volatile organic com	oounds	
vPvB	Very Persistent and	very Bioaccumulative	
Acute Tox.	Acute toxicity		
Aquatic Acute	Hazardous to the aqu	Jatic environment	
Aquatic Chronic	Hazardous to the aqu	uatic environment (chro	onic)
Carc.	Carcinogenicity		
Eye Dam.	Serious eye damage		
Eye Irrit.	Eye irritation		
Skin Corr.	Skin corrosion		
Skin Irrit.	Skin irritation		
Skin Sens.	Skin sensitization		
STOT RE	Specific target organ	toxicity - repeated exp	oosure
STOT SE	Specific target organ	toxicity - single expos	ure
Without classification	Without classification	۱	
Training guidelines			

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### **Recommended restrictions of use**

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

## More information

Classification procedure - calculation method.

#### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.