ATLA		TY DATA SHEET			
ALLA	according to Regulation (EC) No 1907/2006 (REACH) as amended				
	Atlas	Ultra Geoflex Biały			
Creatio	on date 15th April 2022				
Revisio	on date	Version	1.0		
SECTI	ON 1: Identification of the substance/mi	xture and of the company/un	dertaking		
L.1.	Product identifier	Atlas Ultra Geofle	x Biały		
	Substance / mixture	mixture			
1.2. Relevant identified uses of the substance or mixture and uses advised against			d against		
	Mixture's intended use				
	Mortar for bonding ceramic cladding.				
	Main intended use				
	PC-CON-OTH Other const	ruction products			
	Mixture uses advised against				
	The product should not be used in ways other	er then those referred in Section	1.		
.3.	Details of the supplier of the safety data	a sheet			
	Manufacturer				
	Name or trade name	ATLAS sp. z o.o.			
	Address	ul. Jana Kilińskieg	jo 2, Łódź, 91-421		
		Poland			
	VAT Reg No	PL9471936467			
	Phone	+48 42 631 89 4	5		
	E-mail	msds@atlas.com.	pl		
	Web address	www.atlas.com.pl	l		
	Competent person responsible for the s	afety data sheet			
	Name	ATLAS sp. z o.o.			
	E-mail	msds@atlas.com.	pl		
4.	Emergency telephone number				
	112 - emergency number +48 800 168 083 - ATLAS INFOLINE telepho information is answered by the machine.	one, open from Monday to Friday	between 8:00 am - 4:00 pm, other		

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification of the mixture in accordance with Regulation (EC) No 1272/2008 The mixture is classified as dangerous.

Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335

Full text of all classifications and hazard statements is given in the section 16.

### Most serious adverse effects on human health and the environment

May cause an allergic skin reaction. Causes serious eye damage. Causes skin irritation. May cause respiratory irritation.

### 2.2. Label elements

Hazard pictogram



### Signal word Danger

### Hazardous substances

Cement, portland, chemicals



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

Atlas Ultra Geoflex Blary				
Creation date	15th April 2022			
Revision date	Version 1.0			
Hazard statemer	nts			
H315	Causes skin irritation.			
H317	May cause an allergic skin reaction.			
H318	Causes serious eye damage.			
H335	May cause respiratory irritation.			
Precautionary st	atements			
P102	Keep out of reach of children.			
P261	Avoid breathing dust.			
P280	Wear protective gloves/protective clothing/eye protection/face protection.			
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.			
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.			
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.			
P501	Dispose of contents/container to to properly marked containers for selective waste collection emptied by an authorized company.			

### 2.3. Other hazards

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### Chemical characterization

Mixture of substances and additives specified below.

Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 65997-15-1 EC: 266-043-4 Registration number: 02-2119682167-31- xxxx	Cement, portland, chemicals		Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	1
CAS: 1305-62-0 EC: 215-137-3	calcium hydroxide		Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335	1
CAS: 68475-76-3 EC: 270-659-9	Flue dust, portland cement	, ,	Skin Irrit. 2, H315 Skin Sens. 1, H317 Eye Dam. 1, H318 STOT SE 3, H335	

### Notes

1 Substance with a Union workplace exposure limit.

Full text of all classifications and hazard statements is given in the section 16.

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet. If unconscious, put the person in the stabilized (recovery) position on his side with his head slightly bent backwards and make sure that airways are free; never induce vomiting. If the person vomits by himself, make sure that the vomit is not inhaled. In life threatening conditions first of all provide resuscitation of the affected person and ensure medical assistance. Respiratory arrest - provide artificial respiration immediately. Cardiac arrest - provide indirect cardiac massage immediately.

2/8



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

Creation date Revision date

Version

1.0

### If inhaled

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

### If on skin

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

### If in eyes

Do not rub your eyes – it could lead to mechanical damage of the cornea. Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Rinsing should be continued for 10-30 minutes from the inner to the outer eye corner to make sure that the other eye is not involved. Depending on the situation, call medical rescue service or ensure medical treatment as promptly as possible. Everyone must be referred for treatment even if affected only a little.

### If swallowed

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

### 4.2. Most important symptoms and effects, both acute and delayed

15th April 2022

### If inhaled

Inhaling dust can cause corrosion of the breathing system. May cause respiratory irritation.

If on skin

May cause an allergic skin reaction.

### If in eyes

Causes serious eye damage.

### If swallowed

Corrosion of the digestion system can occur.

### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

### Unsuitable extinguishing media

Water - full jet.

### 5.2. Special hazards arising from the substance or mixture

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Do not inhale dust. Prevent contact with skin and eyes.

### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

### 6.3. Methods and material for containment and cleaning up

Place the product mechanically in an appropriate manner. Dispose of the collected material according to the instructions in the section 13.

# 6.4. Reference to other sections

See the Section 7, 8 and 13.

according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

Creation date Revision date

ATLAS

Version

1.0

### **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Do not inhale dust. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

### 7.2. Conditions for safe storage, including any incompatibilities

15th April 2022

Store in closed, original and labeled packages in in dry, cool and well-ventilated rooms, preferably on pallets, do not expose directly to sunlight. Store away from incompatible materials, drinks and food. Protect against moisture - the product is irreversible hardening under the influence of moisture. The bags should be stacked in a manner for stability. Under the above conditions, none are known adverse interactions.

# 7.3. Specific end use(s)

not available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

The mixture contains substances for which occupational exposure limits are set.

United Kingdom E	H40/2005 Wo	rkplace exposu	re limits (Fourth Edition 2020)
Substance name (component)	Туре	Value	Note
Cement, portland, chemicals (CAS: 65997-15-1)	WEL 8h	10 mg/m <sup>3</sup>	inhalable dust
	WEL 8h	4 mg/m <sup>3</sup>	respirable dust
calcium hydroxide (CAS: 1305-62-0)	WEL 8h	5 mg/m <sup>3</sup>	
calcium hydroxide Respirable fraction (CAS: 1305- 62-0)	WEL 8h	1 mg/m <sup>3</sup>	
	WEL 15min	4 mg/m <sup>3</sup>	

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

### Skin protection

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

### **Respiratory protection**

Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation.

### Thermal hazard

Data not available.

### **Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

### SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties			
Physical state	solid		
Colour	white		
Odour	data not available		
	Physical state Colour		



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

	on date 15th April 2022			
Revisi	on date	Version	1.0	
	Melting point/freezing point	data not available		
	Boiling point or initial boiling point and boiling range	data not available		
	Flammability	data not available		
	Lower and upper explosion limit	data not available		
	Flash point	data not available		
	Auto-ignition temperature	data not available		
	Decomposition temperature	data not available		
	pH	10-11 (undiluted)		
	Cement, portland, chemicals (CAS: 65997-15-1)	11-13,5 (50% solu	ution at 20 °C)	
	Kinematic viscosity	data not available		
	Solubility in water	data not available		
	Partition coefficient n-octanol/water (log value)	data not available		
	Vapour pressure	data not available		
	Density and/or relative density			
	Density	1,3-1,6 g/cm <sup>3</sup>		
	Cement, portland, chemicals (CAS: 65997-15-1)	2,75-3,20 g/cm <sup>3</sup> a	at 20 °C	
	Relative vapour density	data not available		
	Particle characteristics	data not available		
	data not available			
9.2.	Other information			
	not available			

# 10.1. Reactivity

#### not available 10.2. Chemical stability

# The product is stable under normal conditions.

10.3. Possibility of hazardous reactions

#### Unknown. 10.4. **Conditions to avoid**

### The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

### 10.5. Incompatible materials

Protect against strong acids, bases and oxidizing agents.

### 10.6. Hazardous decomposition products Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

### Acute toxicity

Based on available data the classification criteria are not met.

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

### Germ cell mutagenicity

Based on available data the classification criteria are not met.



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

Creation date	15th April 2022			
Revision date		Version	1.0	
<b>Carcinogenic</b> Based on avai	<b>ity</b> lable data the classification criteria	are not met.		
Reproductive	e toxicity			
Based on avai	lable data the classification criteria	are not met.		

Toxicity for specific target organ - single exposure

May cause respiratory irritation.

Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Aspiration hazard

Based on available data the classification criteria are not met.

### 11.2. Information on other hazards

not available

### **SECTION 12: Ecological information**

12.1. Toxicity

### Acute toxicity

- 12.2. Persistence and degradability not available
- **12.3. Bioaccumulative potential** Data not available.
- 12.4. Mobility in soil
  - Data not available.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

# 12.6. Endocrine disrupting properties

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

### 12.7. Other adverse effects

Data not available.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

### Waste management legislation

Producer Responsibility Obligations (Packaging Waste) Regulations 2007 (S.I. No. 871 of 2007). Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

### **SECTION 14: Transport information**

### 14.1. UN number or ID number

- not subject to transport regulations
- 14.2. UN proper shipping name
- not relevant
- 14.3. Transport hazard class(es) not relevant
- 14.4. Packing group not relevant



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

Creation date Revision date

Version

1.0

14.5. Environmental hazards

- not relevant
- **14.6.** Special precautions for user Reference in the Sections 4 to 8.

**14.7.** Maritime transport in bulk according to IMO instruments not relevant

15th April 2022

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 as amended. Environmental Protection Act 1990 as amended. Clean Air Act 1993 as amended. Public health act 1961. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

### 15.2. Chemical safety assessment

not available

### **SECTION 16: Other information**

A list of standard risk phrase	es used in the safety data sheet
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
Guidelines for safe handling	used in the safety data sheet
P102	Keep out of reach of children.
P261	Avoid breathing dust.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to to properly marked containers for selective waste collection emptied by an authorized company.
Other important information	about human health protection
	ess specifically approved by the manufacturer/importer - used for purposes other than s responsible for adherence to all related health protection regulations.
Key to abbreviations and acr	onyms used in the safety data sheet
ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
7/8	



according to Regulation (EC) No 1907/2006 (REACH) as amended

# Atlas Ultra Geoflex Biały

15th April 2022 Creation date Revision date 1.0 Version IMDG International Maritime Dangerous Goods INCI International Nomenclature of Cosmetic Ingredients ISO International Organization for Standardization IUPAC International Union of Pure and Applied Chemistry Octanol-water partition coefficient log Kow LZO Volatile organic compounds MARPOL International Convention for the Prevention of Pollution from Ships Occupational Exposure Limits OFL PBT Persistent, Bioaccumulative and Toxic Parts per million ppm Registration, Evaluation, Authorisation and Restriction of Chemicals REACH RID Agreement on the transport of dangerous goods by rail UE European Union UN Four-figure identification number of the substance or article taken from the UN Model Regulations UVCB Substances of unknown or variable composition, complex reaction products or biological materials vPvB Very Persistent and very Bioaccumulative WE Identification code for each substance listed in EINECS Eye Dam. Serious eye damage Skin Irrit. Skin irritation Skin Sens. Skin sensitization STOT SE Specific target organ toxicity - single exposure **Training guidelines** 

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

### **Recommended restrictions of use**

not available

### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

### More information

Classification procedure - calculation method.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.